CONTENTS

Volume 41

Number 1, February 1995

Memorial

Kin-ichiro Sakaguchi (1897–1994) 1

T. Hara, H. Saito, N. Iwamoto, and S. Kaneko: Plasmid analysis in polyglutamate-producing *Bacillus* strain isolated from non-salty fermented soybean food, "kinema," in Nepal..... 3

T. Uchiumi, S. Higashi, and M. Abe: Nodule formation by clover-*Rhizobium* carrying chromosomal *nod* genes 11

R. Hattori, H. Watanabe, A. Tonosaki, and T. Hattori: Unusual morphology of *Agromonas oligotrophica* and the effect of NaCl and organic nutrient on its fine structure 23

R. Messner, H. Prillinger, M. Ibl, and G. Himmler: Sequences of ribosomal genes and internal transcribed spacers move three plant parasitic fungi, *Eremothecium ashbyi*, *Ashbya gossypii*, and *Nematospora coryli*, towards *Saccharomyces cerevisiae* 31

N. Kurosawa, A. Sugai, I. Fukuda, T. Itoh, T. Horiuchi, and Y. H. Itoh: Characterization and identification of thermoacidophilic archaebacteria isolated in Japan..... 43

M. Matsuura, T. Noguchi, T. Aida, M. Asayama, H. Takahashi, and M. Shirai: A gene essential for the site-specific excision of actinophage R4 prophage genome from the chromosome of a lysogen 53

H. Miyata, M. Miyata, and B. F. Johnson: Parametric analysis of length distributions of the fission yeast, *Schizosaccharomyces pombe*, in chemostat culture..... 63

Short Communications

N. Kurosawa, K. Ohkura, T. Horiuchi, and Y. H. Itoh: Characterization of the 16S ribosomal RNA genes and phylogenetic relationships of sulfur-dependent thermoacidophilic archaebacteria 75

V. Kostyukovsky, T. Inamoto, T. Ando, Y. Nakai, and K. Ogimoto: Degradation of hay by rumen fungi in artificial rumen (RUSITEC) 83

Number 2, April 1995

T. Nishi and T. Yagi: Efflux of sodium ions by a Na^+/H^+-antiporter during salt stress in the salt-tolerant yeast *Zygosaccharomyces rouxii* 87

A. Hiraishi, Y. K. Shin, and J. Sugiyama: *Brachymonas denitrificans* gen. nov., sp. nov., an aerobic chemoorganotrophic bacterium which contains rhodoquinones, and evolutionary relationships of rhodoquinone producers to bacterial species with various quinone classes 99

S. Hanada, A. Hiraishi, K. Shimada, and K. Matsuura: Isolation of *Chloroflexus aurantiacus* and related thermophilic phototrophic bacteria from Japanese hot springs using an improved isolation procedure 119

M. Takashima, S.-O. Suh, and T. Nakase: Phylogenetic relationships among species of the genus *Bensingtonia* and related taxa based on the small subunit ribosomal DNA sequences 131

CONTENTS

Volume 41

Number 1, February 1995

Memorial

Kin-ichiro Sakaguchi (1897–1994) 1

T. Hara, H. Saito, N. Iwamoto, and S. Kaneko: Plasmid analysis in polyglutamate-producing *Bacillus* strain isolated from non-salty fermented soybean food, "kinema," in Nepal..... 3

T. Uchiumi, S. Higashi, and M. Abe: Nodule formation by clover-*Rhizobium* carrying chromosomal *nod* genes 11

R. Hattori, H. Watanabe, A. Tonosaki, and T. Hattori: Unusual morphology of *Agromonas oligotrophica* and the effect of NaCl and organic nutrient on its fine structure 23

R. Messner, H. Prillinger, M. Ibl, and G. Himmler: Sequences of ribosomal genes and internal transcribed spacers move three plant parasitic fungi, *Eremothecium ashbyi*, *Ashbya gossypii*, and *Nematospora coryli*, towards *Saccharomyces cerevisiae* 31

N. Kurosawa, A. Sugai, I. Fukuda, T. Itoh, T. Horiuchi, and Y. H. Itoh: Characterization and identification of thermoacidophilic archaebacteria isolated in Japan..... 43

M. Matsuura, T. Noguchi, T. Aida, M. Asayama, H. Takahashi, and M. Shirai: A gene essential for the site-specific excision of actinophage R4 prophage genome from the chromosome of a lysogen 53

H. Miyata, M. Miyata, and B. F. Johnson: Parametric analysis of length distributions of the fission yeast, *Schizosaccharomyces pombe*, in chemostat culture..... 63

Short Communications

N. Kurosawa, K. Ohkura, T. Horiuchi, and Y. H. Itoh: Characterization of the 16S ribosomal RNA genes and phylogenetic relationships of sulfur-dependent thermoacidophilic archaebacteria 75

V. Kostyukovsky, T. Inamoto, T. Ando, Y. Nakai, and K. Ogimoto: Degradation of hay by rumen fungi in artificial rumen (RUSITEC) 83

Number 2, April 1995

T. Nishi and T. Yagi: Efflux of sodium ions by a Na^+/H^+-antiporter during salt stress in the salt-tolerant yeast *Zygosaccharomyces rouxii* 87

A. Hiraishi, Y. K. Shin, and J. Sugiyama: *Brachymonas denitrificans* gen. nov., sp. nov., an aerobic chemoorganotrophic bacterium which contains rhodoquinones, and evolutionary relationships of rhodoquinone producers to bacterial species with various quinone classes 99

S. Hanada, A. Hiraishi, K. Shimada, and K. Matsuura: Isolation of *Chloroflexus aurantiacus* and related thermophilic phototrophic bacteria from Japanese hot springs using an improved isolation procedure 119

M. Takashima, S.-O. Suh, and T. Nakase: Phylogenetic relationships among species of the genus *Bensingtonia* and related taxa based on the small subunit ribosomal DNA sequences 131

M. Takashima, S.-O. Suh, and T. Nakase: *Bensingtonia musae* sp. nov. isolated from a dead leaf of *Musa paradisiaca* and its phylogenetic relationship among basidiomycetous yeasts 143

Short Communications

K. Hamana, H. Hamana, and T. Itoh: Ubiquitous occurrence of agmatine as the major polyamine within extremely halophilic archaebacteria 153

K. Hamana and S. Satake: Absence of cellular polyamines in Gram-positive anaerobic cocci and lactic acid bacteria 159

R. Osawa and T. P. Walsh: Detection of bacterial gallate decarboxylation by visual color discrimination 165

M. Sato, M. Ishii, Y. Kimura, and K. Izumori: Evaluation of ability of soil bacteria to utilize rare sugars 171

I. Nioh, M. Osada, T. Yamamura, and K. Muramatsu: Acidophilic and acid-tolerant actinomycetes in an acid tea field soil 175

Number 3, June 1995

M. Sai Ram, L. Singh, M. V. S. Suryanarayana, and S. I. Alam: Effect of sulfate and nitrate on anaerobic oxidation of volatile fatty acids in rabbit waste at 20°C 181

N. Fukunaga, M. Wada, M. Honjo, Y. Setaishi, N. Hayashinaka, Y. Takada, and J. Nishikawa: Effects of temperature and salt on lipid and fatty acid compositions of a bacterium isolated from the bottom layer of Lake Vanda, Antarctica 191

P. W. Maxwell, G. B. Dunphy, and D. F. Niven: Effects of bacterial age and method of culture on the interaction of *Xenorhabdus nematophilus* (Enterobacteriaceae) with hemocytes of non-immune *Galleria mellonella* (Insecta) larvae 207

T. Koga and K. Takumi: Siderophore production and outer membrane protein synthesis of *Vibrio parahaemolyticus* strain with different serotypes under iron-limited condition 221

S. Chitra, G. Sekaran, S. Padmavathi, and G. Chandrakasan: Removal of phenolic compounds from wastewater using mutant strain of *Pseudomonas pictorum* 229

M. Kishimoto and S. Goto: Growth temperatures and electrophoretic karyotyping as tools for practical discrimination of *Saccharomyces bayanus* and *Saccharomyces cerevisiae* 239

D. Mateos and C. Paniagua: Surface characteristics of *Aeromonas hydrophila* recovered from trout tissues 249

Short Communications

S.-Y. Chung, Y.-L. Choi, M.-J. Cho, H. Yoshisue, M. Kawamukai, H. Sakai, and T. Komano: Transcription of *sfs4*, one of the genetic elements related to CRP*-dependent expression of *Escherichia coli mal* genes 257

T. Koga and K. Takumi: Comparison of cross-protection against some environmental stresses between cadmium-adapted and heat-adapted cells of *Vibrio parahaemolyticus* 263

Number 4, August 1995

K. Kimura, E. Tanaka, and Y. Nakano: Purification and characterization of glutamine synthetase from alkalophilic *Bacillus* No. 170 269

B. Overdijk and G. J. Van Steijn: Discrimination between chitinase and chitobiase activities in *Candida albicans* 281

M. Mitsumori and H. Minato: Distribution of cellulose-binding proteins among the representative strains of rumen bacteria 297

H. Toyosaki, Y. Kojima, T. Tsuchida, K. Hoshino, Y. Yamada, and F. Yoshinaga: The characterization of an acetic acid bacterium useful for producing bacterial cellulose in agitation cultures: The proposal of *Acetobacter xylinum* subsp. *sucrofermentans* subsp. nov. 307
S. Alström: Evidence of disease resistance induced by rhizosphere pseudomonad against *Pseudomonas syringae* pv. *phaseolicola* 315
P. Nikkilä, T. Johnsson, L. Toivonen, and H. Rosenqvist: The effect of Tween 80 on the fatty acid composition of *Lactobacillus buchneri* and *Lactobacillus brevis* 327
M. Kamekura and M. L. Dyall-Smith: Taxonomy of the family Halobacteriaceae and the description of two new genera *Halorubrobacterium* and *Natrialba* 333

Short Communications

S. Okajima, T. Kinouchi, Y. Mikami, and A. Ando: Purification and some properties of a chitosanase of *Nocardioides* sp. 351
T. Boekhout: *Pseudozyma* Bandoni emend. Boekhout, a genus for yeast-like anamorphs of Ustilaginales 359
G. S. Kochar and R. S. Kahlon: Degradation of 2,4-dichlorophenoxy-acetic acid (2,4-D) by immobilized cells of *Pseudomonas putida* 367
G. Orders, A. Handley, and J. T. May: Bovine herpesvirus 2 with low thymidine kinase activity and virulence 371

Number 5, October 1995

A. Takenaka and H. Itabashi: Changes in the population of some functional groups of rumen bacteria including methanogenic bacteria by changing the rumen ciliates in calves 377
I. Nakamura, K. Ogimoto, and H. Izumi: ATP-dependent calcium release from binding site in *Streptococcus bovis*: Bound versus free pools 389
A. Gupta and K. A. Prabhu: Immobilization and properties of dextransucrase from *Leuconostoc mesenteroides* culture, LM_1 399
G. B. Dunphy and R. E. Hurlbert: Interaction of avirulent transpositional mutants of *Xenorhabdus nematophilus* ATCC 19061 (Enterobacteriaceae) with the antibacterial systems of non-immune *Galleria mellonella* (Insecta) larvae 409
T. Sugita, A. Nishikawa, T. Shinoda, K. Yoshida, and M. Ando: A new species, *Trichosporon domesticum*, isolated from the house of a summer-type hypersensitivity pneumonitis patient in Japan 429
N. Wakao, H. Kumagai, H. Haga, T. Yasuda, and T. Hattori: Analysis of arsenic-tolerant bacterial populations in a paddy field soil according to rates of development on solid media 437

Short Communications

A. A. Campbell, J. Colin Slaughter, and R. J. Sturgeon: Inhibition of proteinase B and stabilisation of malate dehydrogenase in extracts of the yeast *Saccharomyces cerevisiae* by turkey egg white fraction II-T 449
C. Kaydamov and J. Belter: Expression of three β-glucosidase genes from *Arthrobacter* sp. GJM-1 in *Escherichia coli* 455

Number 6, December 1995

A. Nishiwaki and J. R. Bourne: Performance of a multistage fermentor with cell filtering and recycling for continuous acetic acid production 461

F. O. Asiegbu, A. Paterson, I. M. Morrison, and J. E. Smith: Effects of cell wall phenolics and fungal metabolites on methane and acetate production under in vitro rumen conditions 475
T. Matsumoto, K. Mimura, and Y. Fukumasa-Nakai: Isozyme variation and genetic relatedness among natural populations of *Pleurotus ostreatus* 487
G. I. Naumov, E. S. Naumova, and E. J. Louis: Two new genetically isolated populations of the *Saccharomyces* sensu stricto complex from Japan 499
A. Take-uchi, O. Makino, K. Matsumoto, and H. Hirokawa: Inhibition of protein synthesis from DNA replication genes by the product of gene *1*, a *dna* gene of *Bacillus subtilis* phage ϕ29 507

Short Communications

M. O. Efuntoye: Diarrhoea disease in livestock associated with *Aeromonas hydrophila* biotype 1 517
A. Gómez, P. Sanz, and D. Ramón: The *Bacillus subtilis lplA* gene is a component of a cluster coding for a putative ABC transporter 523
M. Isaji, S. Yamagata, S. Fujisaki, S. Bawden, and R. J. D'andrea: Complementation of mutation in sulfur metabolism in *Escherichia coli* by transformation with the *Saccharomyces cerevisiae MET17/MET25* gene 529
D. Mateos and C. Paniagua: Enhancement of the virulence for trout of *Aeromonas hydrophila* by serial animal passage 535
K. Tsuge, T. Ano, and M. Shoda: Characterization of *Bacillus subtilis* YB8, coproducer of lipopeptides surfactin and plipastatin B1 541